

ARAGONTM

IMPLANT COMPANY



GENETM

GENE+TM

NizPLANTTM

MEET DR. NIZNICK - CEO OF PARAGON IMPLANT™ COMPANY

“One purpose: Making implant dentistry
more accessible to the patient and
more predictable for the clinician.”

- GERALD NIZNICK, DMD, MSD



TABLE OF CONTENTS

IMPLANTS

Implant Dimensions & Labeling.....4-9

GEN5™, GEN5+™ & NizPlant™ Implants.....10-15

GEN5 and GEN5+ Implant Carrier Packaging.....16-17

Selection Chart.....18-19

PROSTHETICS

Cover Screws, Healing Abutments & Transfers.....20-21

Implant Analogs, Straight & Angled Contour Abutments.....22-23

Titanium Temporary, PEEK Temporary & Angled Screw Channel Abutments.....24-25

Multi-Unit Abutments & Prosthetic Components.....26-27

NizLoc Abutments, Extenders & Components & Prosthetic Tray.....28-29

INSTRUMENTS

Surgical Drills & Drill Sequence.....30-31

Step Drill Depth Markings & Crestal Bone Drills & Cortical Bone Drill Sequence.....32-33

Surgical Tray.....34-35

Tooling & Fixation Screws.....36-39

Drill Stops & Drill Stop Sequence and Placement.....40-41

THE NEXT GENERATION

GEN5™

Friction-Fit Extender

Same GEN5™ body, with a factory installed, friction-fit 2mm contoured extender for one-stage surgery

Smooth Neck with Gauge Lines

Accommodate uneven ridges and immediate extraction sites by varying insertion depth

Cutting Grooves

Two full-length, self-tapping cutting grooves

Restorative Flexibility

Friction-Fit extender can be converted to standard MUA, Overdenture Abutment or a variety of Abutment Options

Straight Neck

Crestal bone seal and increased stability

Progressive Thread Depth

Double-lead, reverse buttress threads for increased bone contact

Tapered Body

Tapered body for increased initial stability

Two Platforms

Color-coded internal-hex conical connections

Smooth Neck with Gauge Lines

Accommodate uneven ridges and immediate extraction sites by varying insertion depth

Cutting Grooves

Two full-length, self-tapping cutting grooves

Straight Neck

Crestal bone seal and increased stability

Progressive Thread Depth

Double-lead, reverse buttress threads for increased bone contact

Tapered Body

Tapered body for increased initial stability

GEN5+™

Dual-Function

Platform can function as an overdenture or a multi-unit abutment

Compatible Platform

External wall provides Locator® compatible platform*

Smooth Neck with Gauge Lines

Accommodate uneven ridges and immediate extraction sites by varying insertion depth

Cutting Grooves

Two full-length, self-tapping cutting grooves

Straight Neck

Crestal bone seal and increased stability


Progressive Thread Depth

Double-lead, reverse buttress threads for increased bone contact

Tapered Body

Tapered body for increased initial stability

GEN5™ DIMENSIONS




Ø3.5mm Implant Platform Ø3.3mmD Body

Not currently available for sale in the United States

3.5mmD Prosthetic Platform incorporates a standard 2.5mmD Internal Hex configuration having a depth of 1.9mmL from top of Implant Platform.


Ø3.5mm Implant Platform Ø3.7mmD Body



Ø3.5mm Implant Platform Ø4.2mmD Body

Both 4.5mmD and 3.5mmD Prosthetic Platforms incorporate a standard 2.5mmD Internal Hex configuration, having a depth of 1.9mmL from top of Implant Platform.




Ø4.5mm Implant Platform Ø4.7mmD Body



Ø4.5mm Implant Platform Ø5.2mm Body

4.5mmD Prosthetic Platform incorporates a standard 2.5mmD Internal Hex configuration having a depth of 1.9mmL from top of Implant Platform.







Ø4.5mm Implant Platform Ø5.7mm Body



NizPLANT™







Not currently available for sale in the United States

GEN5+™
DIMENSIONS



NIZPLANT™
DIMENSIONS

Not currently available for sale in the United States



MANUFACTURING FACILITY





Paragon’s™ Manufacturing and Administration building was constructed by Dr. Niznick in 1994 for Core-Vent. It became the home of Zimmer Dental (2001-2004), Implant Direct® (2004-2010) and Implant Direct Sybron (2011-2014). The building now houses 25 CNC machines equipped with state-of-the-art technology to allow lights-out manufacturing. In addition, it has a Class 10,000 cleanroom for packaging and a department for applying surface treatments including anodizing and blasting.

Because of the small size of the implants and abutments, the stability and precision of the connection is critical to prevent complications such as screw loosening or fracture. To meet the demanding need for precision of all the dental components, Paragon invested in specialized tools and equipment. Designing and manufacturing cutting and inspection tools and gauges enables us to complement our state-of-the-art quality department. Our Swiss Automatic machines are monitored by the cutting-edge Caron process monitoring system, allowing us to run our machines continuously with minimal human intervention — i.e. lights out 24/6 production.

It dramatically reduces the cost of production, while assuring every component is manufactured to our high tolerance requirements. These significant manufacturing cost savings allows Paragon to offer its implants at a price equivalent to what Dr. Niznick charged for an implant in 1986. This very competitive pricing with truly innovative, made in America products will set Paragon apart from its competitors and make implant dentistry more affordable for patients and more profitable for dentists.

LABELING



- 1) Manufacturer symbol
- 2) Product code or reference number
- 3) Product description
- 4) Product dimensions
- 5) Item quantity
- 6) Manufacture date (XXXX-XX-XX)
- 7) Tamper proof symbol
- 8) Do not re-use symbol
- 9) Refer to Instructions For Use (IFU)
- 10) Do not resterilize symbol
- 11) Use by date (XXXX-XX-XX)
- 12) MR Conditional symbol
- 13) Caution / Warning See IFU
- 14) Sterilized using gamma irradiation symbol
- 15) Caution: US law restricts the sale of these devices by or on the order of a dentist or physician
- 16) Country of origin
- 17) Lot number (XXXXXX)
- 18) Implant body diameter color reference
- 19) Implant prosthetic platform diameter (color-coded)
- 20) Unique Device Identification (UDI) barcode and text
- 21) Sold Non-Sterile symbol

GEN5™



Uneven ridge dips 1.5mm from lingual to buccal Placement 1mm supracrestal Placement bone-level, lingual side

- Industry Standard 45° lead-in Conical Connection (Niznick US Patent #4,960,381) maximizes wall thickness on narrow implants
- Two Platform Diameters (3.5mmD & 4.5mmD) optimize emergence profile
- 1mm added to the standard lengths provides vertical flexibility for placement in uneven ridges and extraction sockets



3.5mm Platform



3.5mm Platform



3.5mm Platform



4.5mm Platform



4.5mm Platform



4.5mm Platform



3.3mmD Implant*



3.7mmD Implant



4.2mmD Implant



4.7mmD Implant



5.2mmD Implant



5.7mmD Implant



* Not currently available for sale in the United States

GEN5™ Packaging

3.3mmD

Not currently available for sale in the United States



SP3309 SP3311 SP3312 SP3314

Code	Platform	Diameter	Length	Price
SP3309	3.5mmP	3.3mmD	9mmL	\$125
SP3311	3.5mmP	3.3mmD	11mmL	\$125
SP3312	3.5mmP	3.3mmD	12mmL	\$125
SP3314	3.5mmP	3.3mmD	14mmL	\$125

3.7mmD



SP3707 SP3709 SP3711 SP3712 SP3714

Code	Platform	Diameter	Length	Price
SP3707	3.5mmP	3.7mmD	7mmL	\$125
SP3709	3.5mmP	3.7mmD	9mmL	\$125
SP3711	3.5mmP	3.7mmD	11mmL	\$125
SP3712	3.5mmP	3.7mmD	12mmL	\$125
SP3714	3.5mmP	3.7mmD	14mmL	\$125

4.2mmD



SP4207 SP4209 SP4211 SP4212 SP4214

Code	Platform	Diameter	Length	Price
SP4207	4.5mmP	4.2mmD	7mmL	\$125
SP4209	4.5mmP	4.2mmD	9mmL	\$125
SP4211	4.5mmP	4.2mmD	11mmL	\$125
SP4212	4.5mmP	4.2mmD	12mmL	\$125
SP4214	4.5mmP	4.2mmD	14mmL	\$125

4.7mmD



WP4707 WP4709 WP4711 WP4712 WP4714

Code	Platform	Diameter	Length	Price
WP4707	4.5mmP	4.7mmD	7mmL	\$125
WP4709	4.5mmP	4.7mmD	9mmL	\$125
WP4711	4.5mmP	4.7mmD	11mmL	\$125
WP4712	4.5mmP	4.7mmD	12mmL	\$125
WP474	4.5mmP	4.7mmD	14mmL	\$125

5.2mmD



WP5207 WP5209 WP5211 WP5212 WP5214

Code	Platform	Diameter	Length	Price
WP5207	4.5mmP	5.2mmD	7mmL	\$125
WP5209	4.5mmP	5.2mmD	9mmL	\$125
WP5211	4.5mmP	5.2mmD	11mmL	\$125
WP5212	4.5mmP	5.2mmD	12mmL	\$125
WP5214	4.5mmP	5.2mmD	14mmL	\$125


5.2mmD



WP5707 WP5709 WP5711 WP5712 WP5714

Code	Platform	Diameter	Length	Price
WP5707	4.5mmP	5.7mmD	7mmL	\$125
WP5709	4.5mmP	5.7mmD	9mmL	\$125
WP5711	4.5mmP	5.7mmD	11mmL	\$125
WP5712	4.5mmP	5.7mmD	12mmL	\$125
WP5714	4.5mmP	5.7mmD	14mmL	\$125

GEN5+™



- Detachable 2mm friction-fit extender for 1- or 2-Stage Surgery, simplifies restorative procedures by elevating platform
- Extender can be removed to allow prosthetic connection to the implant platform for esthetics if tissue recedes
- Attachment of application specific prosthetic screws converts platform to standard MUA or a variety of other abutment options



* Not currently available for sale in the United States




3.3mmD	Code	Platform	Diameter	Length	Price
Not currently available for sale in the United States					
	NSP3309	3.5mmP	3.3mmD	9mmL	\$150
	NSP3311	3.5mmP	3.3mmD	11mmL	\$150
	NSP3312	3.5mmP	3.3mmD	12mmL	\$150
	NSP3314	3.5mmP	3.3mmD	14mmL	\$150
NSP3309	NSP3311	NSP3312	NSP3314		
3.7mmD	Code	Platform	Diameter	Length	Price
	NSP3707	3.5mmP	3.7mmD	7mmL	\$150
	NSP3709	3.5mmP	3.7mmD	9mmL	\$150
	NSP3711	3.5mmP	3.7mmD	11mmL	\$150
	NSP3712	3.5mmP	3.7mmD	12mmL	\$150
	NSP3714	3.5mmP	3.7mmD	14mmL	\$150
NSP3707	NSP3709	NSP3711	NSP3712	NSP3714	
4.2mmD	Code	Platform	Diameter	Length	Price
	NSP4207	3.5mmP	4.2mmD	7mmL	\$150
	NSP4209	3.5mmP	4.2mmD	9mmL	\$150
	NSP4211	3.5mmP	4.2mmD	11mmL	\$150
	NSP4212	3.5mmP	4.2mmD	12mmL	\$150
	NSP4214	3.5mmP	4.2mmD	14mmL	\$150
NSP4207	NSP4209	NSP4211	NSP4212	NSP4214	
4.7mmD	Code	Platform	Diameter	Length	Price
	NWP4707	4.5mmP	4.7mmD	7mmL	\$150
	NWP4709	4.5mmP	4.7mmD	9mmL	\$150
	NWP4711	4.5mmP	4.7mmD	11mmL	\$150
	NWP4712	4.5mmP	4.7mmD	12mmL	\$150
	NWP4714	4.5mmP	4.7mmD	14mmL	\$150
NWP4707	NWP4709	NWP4711	NWP4712	NWP4714	
5.2mmD	Code	Platform	Diameter	Length	Price
	NWP5207	4.5mmP	5.2mmD	7mmL	\$150
	NWP5209	4.5mmP	5.2mmD	9mmL	\$150
	NWP5211	4.5mmP	5.2mmD	11mmL	\$150
	NWP5212	4.5mmP	5.2mmD	12mmL	\$150
	NWP5214	4.5mmP	5.2mmD	14mmL	\$150
NWP5207	NWP5209	NWP5211	NWP5212	NWP5214	
5.2mmD	Code	Platform	Diameter	Length	Price
	NWP5707	5.7mmP	5.7mmD	7mmL	\$150
	NWP5709	5.7mmP	5.7mmD	9mmL	\$150
	NWP5711	5.7mmP	5.7mmD	11mmL	\$150
	NWP5712	5.7mmP	5.7mmD	12mmL	\$150
	NWP5714	5.7mmP	5.7mmD	14mmL	\$150
NWP5707	NWP5709	NWP5711	NWP5712	NWP5714	

NIZPLANT™


Not currently available
for sale in the United States




- 1-piece implant with a dual-function platform that allows it to be used to initially retain an overdenture, and then be converted to a full-arch fixed restoration
- All-in-1 packaging including the NizLoc™ attachment that engages both the outer surface and the internal chamber of the implant
- NizPlant™ has a 45° lead-in bevel, internal hex, and internal threads for attachment of a fixed full-arch hybrid restoration





3.0mmD	Code	Platform	Diameter	Length	Price
	NP3009	3.9mmP	3.0mmD	9mmL	\$135
	NP3011	3.9mmP	3.0mmD	11mmL	\$135
	NP3012	3.9mmP	3.0mmD	12mmL	\$135
	NP3014	3.9mmP	3.0mmD	14mmL	\$135

3.7mmD	Code	Platform	Diameter	Length	Price
	NP3707	3.9mmP	3.7mmD	7mmL	\$135
	NP3709	3.9mmP	3.7mmD	9mmL	\$135
	NP3711	3.9mmP	3.7mmD	11mmL	\$135
	NP3712	3.9mmP	3.7mmD	12mmL	\$135
	NP3714	3.9mmP	3.7mmD	14mmL	\$135

4.2mmD	Code	Platform	Diameter	Length	Price
	NP4207	3.9mmP	4.2mmD	7mmL	\$135
	NP4209	3.9mmP	4.2mmD	9mmL	\$135
	NP4211	3.9mmP	4.2mmD	11mmL	\$135
	NP4212	3.9mmP	4.2mmD	12mmL	\$135
	NP4214	3.9mmP	4.2mmD	14mmL	\$135

4.7mmD	Code	Platform	Diameter	Length	Price
	NP4707	3.9mmP	4.7mmD	7mmL	\$135
	NP4709	3.9mmP	4.7mmD	9mmL	\$135
	NP4711	3.9mmP	4.7mmD	11mmL	\$135
	NP4712	3.9mmP	4.7mmD	12mmL	\$135
	NP4714	3.9mmP	4.7mmD	14mmL	\$135

5.2mmD	Code	Platform	Diameter	Length	Price
	NP5207	3.9mmP	5.2mmD	7mmL	\$135
	NP5209	3.9mmP	5.2mmD	9mmL	\$135
	NP5211	3.9mmP	5.2mmD	11mmL	\$135
	NP5212	3.9mmP	5.2mmD	12mmL	\$135
	NP5214	3.9mmP	5.2mmD	14mmL	\$135

5.2mmD	Code	Platform	Diameter	Length	Price
	NP5707	3.9mmP	5.7mmD	7mmL	\$135
	NP5709	3.9mmP	5.7mmD	9mmL	\$135
	NP5711	3.9mmP	5.7mmD	11mmL	\$135
	NP5712	3.9mmP	5.7mmD	12mmL	\$135
	NP5714	3.9mmP	5.7mmD	14mmL	\$135

GEN5™ IMPLANT CARRIER PACKAGING

The GEN5 implant is mounted on a platform specific, color-coded implant carrier.


Prepare surgical site with sequential step drills in drill stops	All Paragon Implants are supplied in gamma irradiated, sterile packaging	Each label has two tear-off labels for patient records	Color coded labels on top of the cap identify the diameter of the platform
Drop implant assembly out of vial onto a sterile surface	Engage internal hex feature of carrier with a hand or motor driven 2.5mmD driver	Align implant/carrier assembly with osteotomy for insertion	Insert implant 1mm Supra-crestal External dimples for indexing hex
Alternate: Insert implant Level with Crest	The internal hex of the implant should be indexed with a flat on the labial/lingual	Select cover screw, healing collar, temporary or final abutment	Use friction-fit 1.25mmD hex tool to remove the Cover Screw or Healing Collar
Option 1: Attach the Cover Screw (purchased separately) to implant	For a 2-stage surgical procedure, suture soft tissue over the Cover Screw	Option 2: Attach the Healing Abutment to implant	For a 1-stage surgical procedure, suture soft tissue around the Healing Abutment

GEN5+™ IMPLANT CARRIER PACKAGING

The GEN5+ implant is mounted on a platform specific, color-coded implant carrier.

Prepare surgical site with sequential step drills in drill stops	All Paragon Implants are supplied in a gamma irradiated sterile package	Each label has two tear-off labels for patient records	Color coded labels on top of the cap identify the diameter of the platform
Drop implant assembly out of vial onto a sterile surface	The Implant with pre-attached extender, is removed from the inner vial Carrier is held inside Torque Wrench Insert with a friction-fit 2.5mmD Ruby Hex Tool	Align implant/carrier assembly with osteotomy for insertion	Stabilize implant within the osteotomy. Remove carrier from Extender
Align flats of 2.5mmD Hex Tool to labial to index position of extender's hex	The internal hex of the carrier is indexed with an internal hex of the implant	Select appropriate height cover screw for tissue level and drop on surgical tray	Remove the Cover Screw from the mount using the friction-fit 1.25mmD hex tool
Option 1: For a 1-stage surgical procedure, suture around the cover screw	Option 2: Attach straight abutment for cemented restoration	Option 3: Remove the extender using the retrieval tool	Option 4: Attach straight abutment to implant for cemented restoration

SELECTION CHART



GEN5™ 3.5mmD Connection



Implant Analogs



Straight & Angled Abutments



Titanium & PEEK Temporary Abutments



Angled Screw Channel Abutments



Multi-Unit Abutments




NizLoc Abutments

Not currently available for sale in the United States



GEN5™ 4.5mmD Connection



Gen5+™



NizPlant™ Implant

Not currently available for sale in the United States



IMPLANT DIMENSIONS & LABELING
GEN5™ & NIZPLANT™
IMPLANT CARRIER PACKAGING
SELECTION CHART
HEALING COLLARS & TRANSFERS
ANALOGS & STRAIGHT/ ANGLED
TEMPORARY & ASC
MUA & COMPONENTS
NIZLOC & COMPONENTS
SURGICAL DRILLS & SEQUENCE
STEP DRILL DEPTH MARKINGS
SURGICAL TRAY
TOOLING & FIXATION SCREWS
DRILL STOPS

COVER SCREWS & HEALING ABUTMENTS


Cover Screws			Code	Platform	Price	
			CS35	3.5mmP	\$20.00	
			CS45	4.5mmP	\$20.00	
			CS57	5.7mmP	\$20.00	


Healing Abutments 35			Code	Platform	Diameter	Length	Price
			HA35-3N	3.5mmP	3.7mmD	3.0mmL	\$30.00
			HA35-5N	3.5mmP	3.7mmD	5.0mmL	\$30.00
			HA35-3R	3.5mmP	4.7mmD	3.0mmL	\$30.00
			HA35-5R	3.5mmP	4.7mmD	5.0mmL	\$30.00
			HA35-3W	3.5mmP	5.7mmD	3.0mmL	\$30.00
			HA35-5W	3.5mmP	5.7mmD	5.0mmL	\$30.00
			HA35-5N				
			HA35-5R				
			HA35-5W				


Healing Abutments 45			Code	Platform	Diameter	Length	Price
			HA45-3N	4.5mmP	4.7mmD	3.0mmL	\$30.00
			HA45-5N	4.5mmP	4.7mmD	5.0mmL	\$30.00
			HA45-3R	4.5mmP	5.7mmD	3.0mmL	\$30.00
			HA45-5R	4.5mmP	5.7mmD	5.0mmL	\$30.00
			HA45-5N				
			HA45-5R				



Extender Cover Screws			Code	Platform	Length	Price
			XTCS1	4.8mmP	1.0mmL	\$20.00
			XTCS2	4.8mmP	2.0mmL	\$20.00
			XTCS3	4.8mmP	3.0mmL	\$20.00

TRANSFERS

Engaging Closed-Tray Transfers (incl. UFS Screw)				Code	Platform	Diameter	Price
				CT35-EN	3.5mmP	3.7mmD	\$40.00
				CT35-ER	3.5mmP	4.7mmD	\$40.00
				CT35-EW	3.5mmP	5.7mmD	\$40.00
				CT45-EN	4.5mmP	4.7mmD	\$40.00
				CT45-ER	4.5mmP	5.7mmD	\$40.00
				UFS	*packaged with screw		
				CTES	*optional screw		

Engaging Open-Tray Transfers (incl. UFS Screw)				Code	Platform	Diameter	Price
				OT35-EN	3.5mmP	3.7mmD	\$40.00
				OT35-ER	3.5mmP	4.7mmD	\$40.00
				OT35-EW	3.5mmP	5.7mmD	\$40.00
				OT45-EN	4.5mmP	4.7mmD	\$40.00
				OT45-ER	4.5mmP	5.7mmD	\$40.00
				UFSL	*packaged with screw		

Non-Engaging Open-Tray Transfers (incl. UFS Screw)				Code	Platform	Diameter	Price
				OT35-NN	3.5mmP	3.7mmD	\$40.00
				OT35-NR	3.5mmP	4.7mmD	\$40.00
				OT35-NW	3.5mmP	5.7mmD	\$40.00
				OT45-NN	4.5mmP	4.7mmD	\$40.00
				OT45-NR	4.5mmP	5.7mmD	\$40.00
				UFSL	*packaged with screw		

Extender Transfers (incl. Screw)				Code	Platform	Diameter	Price
				XTOT-ER	4.8mmP	4.7mmD	\$40.00
				XTCT-ER	4.8mmP	4.7mmD	\$40.00
				XTFSL	*packaged with screw		
				XTFS	*packaged with screw		

Nizplant Transfers (incl. Screw)				Code	Platform	Diameter
Not currently available for sale in the United States				NPT-NR	3.2mmP	4.3mmD
				XTFSL	*packaged with screw	
				XTFS	*packaged with screw	


IMPLANT
ANALOGS

Implant Analogs (without Screw)	Code	Platform	Price
	IA35	3.5mmP	\$25.00
	IA45	4.5mmP	\$25.00

Implant Analogs (incl. DAFS Screw)	Code	Platform	Price
	IA35	3.5mmP	\$25.00
	IA45	4.5mmP	\$25.00
	DAFS	*packaged with screw	

Extender Analog (incl. Screw)	Code	Platform	Price
	XTA	4.8mmD	\$30.00
	DAFS	*packaged with screw	

Nizplant Analogs (incl. Screw)	Code	Platform
Not currently available for sale in the United States		
	NIA	3.5mmD
	NLA-N	3.9mmD
	NLA-W	4.5mmD
	DAFS	*packaged with screw



STRAIGHT & ANGLED
CONTOUR ABUTMENTS

Straight Contour Abutments (incl. UFS Screw)		Code	Platform	Diameter	Length	Price
	SA35-1N	SA35-1N	3.5mmP	3.7mmD	1.0mmL	\$75.00
	SA35-2N	SA35-2N	3.5mmP	3.7mmD	2.0mmL	\$75.00
	SA35-1R	SA35-1R	3.5mmP	4.7mmD	1.0mmL	\$75.00
	SA35-2R	SA35-2R	3.5mmP	4.7mmD	2.0mmL	\$75.00
	SA45-1N	SA45-1N	4.5mmP	4.7mmD	1.0mmL	\$75.00
	SA45-2N	SA45-2N	4.5mmP	4.7mmD	2.0mmL	\$75.00
	SA45-1R	SA45-1R	5.7mmP	5.7mmD	1.0mmL	\$75.00
	SA45-2R	SA45-2R	5.7mmP	5.7mmD	2.0mmL	\$75.00
	UFS	*packaged with screw				
	UFSS	*optional screw				

15° Angled Abutments (incl. UFS Screw)		Code	Platform	Diameter	Length	Price
	AA35-51	AA35-51	3.5mmP	4.7mmD	0.75mmL	\$90.00
	AA35-52	AA35-52	3.5mmP	4.7mmD	2.0mmL	\$90.00
		AA45-51	4.5mmP	4.7mmD	0.75mmL	\$90.00
		AA45-52	4.5mmP	4.7mmD	2.0mmL	\$90.00
	AA45-51	AA45-51	4.7mmP	5.7mmD	0.75mmL	\$90.00
	AA45-52	AA45-52	4.7mmP	5.7mmD	2.0mmL	\$90.00
		UFSXS	*packaged with screw			
	AA57-51	AA57-51				
	AA57-52	AA57-52				

Extender Straight & Angled Abutments (incl. UFS Screw)		Code	Platform	Diameter	Length	Price
	XTSA-1R	XTSA-1R	4.7mmP	4.7mmD	0.5mmL	\$50.00
	XTAA-51	XTAA-51	4.7mmP	4.7mmD	1.0mmL	\$65.00
		XTFS	*packaged with screw			
		XTFSS	*optional screw			
		XTFSXS	*packaged with screw			

TITANIUM & PEEK TEMPORARY ABUTMENTS

Titanium Temporary Abutments (incl. UFS Screw)



Code	Platform	Diameter	Price
TT35-NR	3.5mmP	4.7mmD	\$50.00
TT35-ER	3.5mmP	4.7mmD	\$50.00
TT45-NR	4.5mmP	5.7mmD	\$50.00
TT45-ER	4.5mmP	5.7mmD	\$50.00
CT45-ER	4.5mmP	5.7mmD	\$40.00

UFS *packaged with screw
UFSS *optional screw

Extender Temporary Abutments (incl. UFS Screw)



Code	Platform	Diameter	Price
XTTT-EN	4.7mmP	5.2mmD	\$50.00

UFS *packaged with screw

Nizplant Temporary Abutments (incl. UFS Screw)

Not currently available for sale in the United States



Code	Platform	Diameter
NPTT-NN	5.0mmP	5.5mmD

UFS *packaged with screw

PEEK Temporary Abutments (incl. UFS Screw)



Code	Platform	Diameter	Price
PA35-ER	3.5mmP	4.7mmD	\$50.00
PA45-ER	4.5mmP	5.7mmD	\$50.00

UFS *packaged with screw
UFSS *optional screw
UFSL *optional screw

Extender PEEK Temporary Abutment (incl. UFS Screw)



Code	Platform	Diameter	Price
XTPA-ER	4.7mmP	5.2mmD	\$40.00

XTFS *packaged with screw
XTFSS *optional screw
XTFSL *optional screw



ANGLED SCREW CHANNEL ABUTMENTS & COPING SETS

ASC Abutments 35 (incl. UFS Screw)



Code	Platform	Diameter	Length	Price
AS35-EN61	3.5mmP	3.7mmD	0.5mmL	\$75.00
AS35-EN62	3.5mmP	3.7mmD	2.0mmL	\$75.00
AS35-NN61	3.5mmP	3.7mmD	0.5mmL	\$75.00
AS35-NN62	3.5mmP	3.7mmD	2.0mmL	\$75.00
AS35-ER61	3.5mmP	4.7mmD	0.5mmL	\$75.00
AS35-ER62	3.5mmP	4.7mmD	2.0mmL	\$75.00
AS35-NR61	3.5mmP	4.7mmD	0.5mmL	\$75.00
AS35-NR62	3.5mmP	4.7mmD	2.0mmL	\$75.00
AS35-EW61	3.5mmP	5.7mmD	0.5mmL	\$75.00
AS35-EW62	3.5mmP	5.7mmD	2.0mmL	\$75.00
AS35-NW61	3.5mmP	5.7mmD	0.5mmL	\$75.00
AS35-NW62	3.5mmP	5.7mmD	2.0mmL	\$75.00
UFSXS	*packaged with screw			
UFSS	*packaged with screw			

ASC Abutments 45 (incl. UFS Screw)



Code	Platform	Diameter	Length	Price
AS45-EN61	4.5mmP	3.7mmD	0.5mmL	\$75.00
AS45-EN62	4.5mmP	3.7mmD	2.0mmL	\$75.00
AS45-NN61	4.5mmP	3.7mmD	0.5mmL	\$75.00
AS45-NN62	4.5mmP	3.7mmD	2.0mmL	\$75.00
AS45-ER61	4.5mmP	4.7mmD	0.5mmL	\$75.00
AS45-ER62	4.5mmP	4.7mmD	2.0mmL	\$75.00
AS45-NR61	4.5mmP	4.7mmD	0.5mmL	\$75.00
AS45-NR62	4.5mmP	4.7mmD	2.0mmL	\$75.00
UFSXS	*packaged with screw			
UFSS	*packaged with screw			

Extender ASC Abutments (incl. UFS Screw)



Code	Platform	Diameter	Length	Price
XTAS-EN61	4.7mmP	5.2mmD	0.5mmL	\$50.00
XTAS-NN61	4.7mmP	5.2mmD	0.5mmL	\$50.00
XTFSXS	*packaged with screw			

Nizplant ASC Abutments (incl. UFS Screw)

Not currently available for sale in the United States



Code	Platform	Diameter	Length
NPAS-NN61	4.7mmP	5.2mmD	0.5mmL
UFSXS	*packaged with screw		

ASC Burn-out Coping Sets



Code	Diameter	Length	Price
AS37-EN60	3.7mmD	5.0mmL	\$30.00
AS47-ER60	4.7mmD	5.0mmL	\$30.00
AS52-EW60	5.2mmD	5.0mmL	\$30.00
AS52-EN60	5.2mmD	5.0mmL	\$30.00
AS57-ER60	5.7mmD	5.0mmL	\$30.00

MULTI-UNIT
ABUTMENTS

Multi- Unit Abutments 35				
*Incl. snap Transfer and Comfort Cap				
				
MA35-11	MA35-12	MA35-13	MA35-14	MA35-15
Code	Platform	Diameter	Length	Price
MA35-11	3.5mmP	4.8mmD	1.0mmL	\$75.00
MA35-12	3.5mmP	4.8mmD	2.0mmL	\$75.00
MA35-13	3.5mmP	4.8mmD	3.0mmL	\$75.00
MA35-14	3.5mmP	4.8mmD	4.0mmL	\$75.00
MA35-15	3.5mmP	4.8mmD	5.0mmL	\$90.00
Multi-Unit Abutments 45				
*Incl. snap Transfer and Comfort Cap				
				
MA45-11	MA45-12	MA45-13	MA45-14	MA45-15
Code	Platform	Diameter	Length	Price
MA45-11	4.5mmP	4.8mmD	1.0mmL	\$75.00
MA45-12	4.5mmP	4.8mmD	2.0mmL	\$75.00
MA45-13	4.5mmP	4.8mmD	3.0mmL	\$75.00
MA45-14	4.5mmP	4.8mmD	4.0mmL	\$75.00
MA45-15	4.5mmP	4.8mmD	5.0mmL	\$90.00
Multi-Unit Angled Abutments 35				
				
MA35-1-17	MA35-2-17	MA35-1-30	MA35-2-30	
Code	Platform	Diameter	Length	Price
MA35-1-17	3.5mmP	4.8mmD	1.0/2.5mmL	\$90.00
MA35-2-17	3.5mmP	4.8mmD	2.0/3.5mmL	\$90.00
MA35-1-30	3.5mmP	4.8mmD	1.0/3.5mmL	\$90.00
MA35-2-30	3.5mmP	4.8mmD	2.0/4.5mmL	\$90.00
MAFSXS	*packaged with screw			
Multi-Unit Angled Abutments 45				
				
MA45-1-17	MA45-2-17	MA45-1-30	MA45-2-30	
Code	Platform	Diameter	Length	Price
MA45-1-17	4.5mmP	4.8mmD	1.0/2.5mmL	\$90.00
MA45-2-17	4.5mmP	4.8mmD	2.0/3.5mmL	\$90.00
MA45-1-30	4.5mmP	4.8mmD	1.0/3.5mmL	\$90.00
MA45-2-30	4.5mmP	4.8mmD	2.0/4.5mmL	\$90.00
MAFSXS	*packaged with screw			
Extender Multi-Unit Abutments				
				
XTMA-60	XTMA-61	XTMA-62	XTMA-17	XTMA-30
XTMA-17	XTMA-30	MACC		
Code	Platform	Diameter	Length	Price
XTMA-60	4.8mmP	4.8mmD	0mmL	\$25.00
XTMA-61	4.8mmP	4.8mmD	1.0mmL	\$25.00
XTMA-62	4.8mmP	4.8mmD	2.0mmL	\$25.00
XTMA-17	4.8mmP	5.5mmD	4.5mmL	\$65.00
XTMA-30	4.8mmP	7.0mmD	4.1mmL	\$65.00
XTMAFSXS	*packaged with screw (only for XTMA-17 and XTMA-30)			
MACC (x4)	Universal			
				\$60.00
Nizplant Multi-Unit Abutments				
Not currently available for sale in the United States				
				
NPMA-61				
Code	Platform	Diameter	Length	Price
NPMA-61	3.2mmP	4.8mmD	3.2mmL	
Cap (x4)	Universal			
Low Profile With 1.72mmD Screw				
				
XTMAW-60	XTMAW-61	XTMAW-62		
Code	Platform	Diameter	Length	Price
XTMAW-60	4.8mmP	4.8mmD	2.0mmL	\$25.00
XTMAW-61	4.8mmP	4.8mmD	3.0mmL	\$25.00
XTMAW-62	4.8mmP	4.8mmD	4.0mmL	\$25.00

MULTI-UNIT ABUTMENTS
PROSTHETIC COMPONENTS

Multi-Unit Abutment Transfers, Screws & Analog					
					
MOTT	MCTT	MOTTS	MCTTS	MAA	
Code	Platform	Diameter	Length	Price	
MOTT	4.8mmP	4.8mmD	9.0mmL	\$40.00	
MCTT	4.8mmP	4.8mmD	8.0mmL	\$40.00	
MOTTS	M1.4	3.0mmD	12.1mmL	\$20.00	
MCTTS	M1.4	2.1mmD	5.1mmL	\$20.00	
MAA	4.8mmP	4.8mmD	3.7mmL	\$25.00	
Multi-Unit Abutment Coping & Healing Caps					
					
MATTC	MAPLC	MAASC	MASCC	MATIC	MAPIC
Code	Platform	Diameter	Length	Price	
MATTC	4.8mmP	4.8mmD	12mmL	\$50.00	
MAPLC	4.8mmP	4.8mmD	12mmL	\$40.00	
MAASC	4.8mmP	5.0mmD	8mmL	\$50.00	
MASCC	4.8mmP	5.0mmD	10mmL	\$30.00	
MATIC	4.8mmP	5.8mmD	4.3mmL	\$50.00	
MAPIC	1.4UNM	4.8mmD	N/A	\$35.00	
Multi-Unit Abutment Pros. Screws					
					
MPS	MP SL	MPS-4	MPWS		
Code	Platform	Diameter	Length	Price	
MPS	M1.4	2.1mmD	1.5mmL	\$20.00	
MP SL	M1.4	2.1mmD	2.5mmL	\$20.00	
MPS-4	M1.4	2.1mmD	1.5mmL	\$70.00	
MPWS	M1.4	2.1mmD	2.5mmL	\$20.00	
Multi-Unit Abutment Holders & Guide Pin					
					
MAHLD-B	MAGP	SMC-BL			
Code	Platform	Diameter	Length	Price	
MAHLD-BM	1.4UNM	2.35mmD	14.5mmL	\$20.00	
MAGP	1.4UNM	2.35mmD	14.5mmL	\$20.00	
SMC-BLM	4.0mmP	5.0mmD	12.6mmL	\$45.00	
Low Profile With 1.72mmD Screw Components					
					
MOTTW	MCTTW	MOTTWS	MCTTWS	MATTW	MAPLCW
MAASCW	MASCCW	MATICW	MAPICW	MPSW	MP SLW
MPSW-4	MPWSW	MAGPW (x4)	SMC-LB	MAAW	
Code	Platform	Diameter	Length	Price	
MOTTW	4.8mmP	4.8mmD	9.0mmL	\$40.00	
MCTTW	4.8mmP	4.8mmD	8mmL	\$40.00	
MOTTWS	1-72UNF	3.0mmD	13.1mmL	\$20.00	
MCTTWS	1-72UNF	2.1mmD	5.1mmL	\$20.00	
MATTW	4.8mmP	4.8mmD	12mmL	\$50.00	
MAPLCW	4.8mmP	4.8mmD	12mmL	\$40.00	
MAASCW	4.8mmP	5.0mmD	8.0mmL	\$50.00	
MASCCW	4.8mmP	5.0mmD	10mmL	\$30.00	
MATICW	4.8mmP	5.8mmD	4.3mmL	\$50.00	
MAPICW	4.8mmP	1-72UNF	12mmL	\$35.00	
MPSW	1-72UNF	2.1mmD	2.5mmL	\$20.00	
MP SLW	1-72UNF	2.1mmD	1.5mmL	\$20.00	
MPSW-4	1-72UNF	2.1mmD	1.5mmL	\$70.00	
MPWSW	1-72UNF	2.1mmD	15.2mmL	\$20.00	
MAGPW (x4)	1-72UNF	2.35mmD	14.5mmL	\$70.00	
SMC-LBM	4.0mmP	5.0mmD	12.6mmL	\$45.00	
MAAW	4.8mmP	4.8mmD	3.7mmL	\$31.00	


NIZLOC ABUTMENTS, EXTENDERS & COMPONENTS

Not currently available for sale in the United States


NizLoc Abutments 35	Code	Platform	Length
	NL35-11	3.5mmP	1.0mmL
	NL35-12	3.5mmP	2.0mmL
	NL35-13	3.5mmP	3.0mmL
	NL35-14	3.5mmP	4.0mmL
	NL35-15	3.5mmP	5.0mmL

NizLoc Abutments 45	Code	Platform	Length
	NL45-11	4.5mmP	1.0mmL
	NL45-12	4.5mmP	2.0mmL
	NL45-13	4.5mmP	3.0mmL
	NL45-14	4.5mmP	4.0mmL
	NL45-15	4.5mmP	5.0mmL

Extender NizLoc Abutments	Code	Platform	Length
	XTNL-0	4.8mmP	0.25mmL
	XTNL-1	4.8mmP	1.25mmL
	XTNL-2	4.8mmP	2.25mmL
	NPNL-1	3.2mmP	1.8mmL

NizLoc Components	Code	Platform	Diameter	Length
	NLBS (x4)	N/A	6.2mmD	0.5mmL
	NLC-H (x4)	3.9mmP	5.5mmD	2.2mmL
	NLC-C (x4)	3.9mmP	4.8mmD	1.8mmL
	NLCE-P (x4)	3.9mmP	4.8mmD	1.8mmL
	NLC-L (x4)	3.9mmP	5.4mmD	1.9mmL
	NLIC (x4)	3.9mmP	5.4mmD	5.5mmL
	NLC-K(x2)	3.9mmP	5.5mmD	2.2mmL

PROSTHETIC TRAY



Prosthetic Tray Contents

Code	Description	Price
PKE	Prosthetic Kit Empty	\$100.00
TW-35	Variable Setting Torque Wrench, 35Ncm	\$220.00
HRT1.25-S	1.25mmD Ruby Hex Tool, Short	\$35.00
HRT1.25-L	1.25mmD Ruby Hex Tool, Long	\$35.00
HRT1.25-XL	1.25mmD Ruby Hex Tool, X-Long	\$35.00
ASCWD-S	ASC Wrench Driver, Short 24mmL	\$40.00
ASCWD-L	ASC Wrench Driver, Long 29mmL	\$40.00
ASCWD-XL	ASC Wrench Driver, X-Long 34mmL	\$40.00
ASCMD-S	ASC Manual Driver, Short 20mmL	\$40.00
ASCMD-L	ASC Manual Driver, Long 25mmL	\$40.00
ASCMD-XL	ASC Manual Driver, X-Long 30mmL	\$40.00
MAMD-S	MUA Manual Driver, Short 22mmL	\$40.00
MAMD-L	MUA Manual Driver, Long 26mmL	\$40.00
MAWD-S	MUA Wrench Driver, Short 22mmL	\$40.00
MAWD-L	MUA Wrench Driver, Long 26mmL	\$40.00
MAWD-XL	MUA Wrench Driver, X-Long 30mmL	\$40.00

SURGICAL DRILLS & DRILL SEQUENCE

			Code	Description	Price
	SD1.8	SD2.3		Pilot Drill, Ø1.8mm, 7mmL	\$75.00
			Code	Description	Price
	SD2.8	CD3.3		Step Drill 2.8/2.3, 7-14mmL, Long	\$75.00
			Code	Description	Price
	SD3.4	CD3.7		Step Drill 3.4/2.8, 7-14mmL, Long	\$75.00
			Code	Description	Price
	SD3.8	CD4.2		Step Drill 3.8/3.4, 7-14mmL, Long	\$75.00
			Code	Description	Price
	SD4.4	CD4.7		Step Drill 4.4/3.8, 7-14mmL, Long	\$75.00
			Code	Description	Price
	SD4.8	CD5.2		Step Drill 4.8/4.4, 7-14mmL, Long	\$75.00
			Code	Description	Price
	SD5.1			Step Drill 5.1/4.8, 7-14mmL, Long	\$75.00
			Code	Description	Price
	SD5.4	CD5.7		Step Drill 5.4/5.1, 7-14mmL, Long	\$75.00

3.0mmD Implant

Not currently available for sale in the United States



SD1.8



SD2.3/2.0



SD2.8/2.3

3.3mmD Implant

Not currently available for sale in the United States



SD1.8



SD2.3/2.0



SD2.8/2.3



CD3.3



CD3.7

3.7mmD Implant



SD1.8



SD2.3/2.0



SD2.8/2.3



SD3.4/2.8



CD3.7

4.2mmD Implant



SD1.8



SD2.3/2.0



SD2.8/2.3



SD3.4/2.8



SD3.8/3.4



CD4.2

4.7mmD Implant



SD1.8



SD2.3/2.0



SD2.8/2.3



SD3.4/2.8



SD3.8/3.4



SD4.4/3.8



CD4.7

5.2mmD Implant



SD1.8



SD2.3/2.0



SD2.8/2.3



SD3.4/2.8



SD3.8/3.4



SD4.4/3.8



SD4.8/4.4



SD5.1/4.8



CD5.2

5.7mmD Implant



SD1.8



SD2.3/2.0



SD2.8/2.3



SD3.4/2.8



SD3.8/3.4



SD4.4/3.8



SD4.8/4.4



SD5.1/4.8



SD5.4/5.1




CD5.7

*Not currently available for sale in the United States


STEP DRILL DEPTH MARKINGS & CRESTAL BONE DRILLS (OPTIONAL)

You can easily verify the depth marking line on DLC drills by aligning the point of the drill with the ruler on the surgical kit.

If you are familiar with the prior genera-tion drills, be sure to note the difference in line markings on the DLC drills.




Use constant and profuse irrigation. During drilling, use an in-and-out motion. Move the drill up without stopping handpiece motor which allows the irrigation to flush away bone debris.




The Drill Stops provide the Implantologist control of what depth they prepare the oseotomy to, by providing a physical stop that fits over each drill.


BONE DRILL SEQUENCE




1. Implant site



4a. Drill to 12.5mm with SD2.3 to place implant 1mm Supra-crestal



4b. Drill 1mm deeper with SD2.3 to place implant level with Crest



5a. Drill to 12.5mm with SD2.8to place implant 1mm Supra-crestal


6a. Drill to 12.5mm with SD2.8to place implant 1mm Supra-crestal

6b. Drill 1mm deeper with SD2.3 to place implant level with Crest

8. Implant seated Level with Crestal

9. Implant seated 1mm Supra-Crestal

SURGICAL TRAY



Prosthetic Tray Contents

Code	Description	Price
SSK	Standard Surgical Kit Empty	\$285.00
Metal Holder	Metal Holder	\$30.00
Drills		
SD1.8	Ø1.8mm Starter Drill	\$75.00
SD2.3	Step Drill 2.3/2.0, 7-14mmL, Long	\$75.00
SD2.8	Step Drill 2.8/2.3, 7-14mmL, Long	\$75.00
SD3.4	Step Drill 3.4/2.8, 7-14mmL, Long	\$75.00
SD3.8	Step Drill 3.8/3.4, 7-14mmL, Long	\$75.00
SD4.4	Step Drill 4.4/3.8, 7-14mmL, Long	\$75.00
SD4.8	Step Drill 4.8/4.4, 7-14mmL, Long	\$75.00
SD5.1	Step Drill 5.1/4.8, 7-14mmL, Long	\$75.00
SD5.4	Step Drill 5.4/4.8, 7-14mmL, Long	\$75.00
CD3.3	Crestal Drill, Ø3.3mm	\$75.00
CD3.7	Crestal Drill, Ø3.7mm	\$75.00
CD4.2	Crestal Drill, Ø4.2mm	\$75.00
CD4.7	Crestal Drill, Ø4.7mm	\$75.00
CD5.2	Crestal Drill, Ø5.2mm	\$75.00
CD5.7	Crestal Drill, Ø5.7mm	\$75.00
Tools		
PGP	Paralleling Guide Pin	\$15.00
DE	Drill Extender, 16mL	\$75.00
FFRT	Removal Tool for Friction-Fit Abutments	\$40.00
HRT1.25-S/HRT1.25-L	1.25mmD Hex Tool, Short/Long	\$40.00
HRD1.25-S/HRD1.25-L	1.25mm Latch Hex Drill, Short/Long	\$40.00
HRT2.5-S/HRT2.5-L	2.5mmD Hex Tool, Short/Long	\$40.00
HRD2.5-S/HRD2.5-L	2.5mm Latch Hex Drill, Short/Long	\$40.00
TP40	Tissue Punch, 4.0mmD	\$75.00
TP50	Tissue Punch, 5.0mmD	\$75.00
TW100	Torque Wrench	\$250.00
TWHI	Torque Wrench Insert with 2.5mmD Hex	\$50.00
TWDI2	Torque Wrench Insert for Drill Latch Connection	\$50.00

TOOLING

Kits		Code	Description	Price
		SSK	Standard Surgical Kit Empty	\$285.00
		CSK	Complete Surgical Kit incl. Drill Stop Kit	\$2,430.00
		PKE	Prosthetic Kit Empty	\$100.00
		DSK	Drill Stop Kit	\$200.00


Hex Tools			Code	Description	Price
			HRT1.25-S	1.25mmD Ruby Hex Tool, Short	\$40.00
			HRT1.25-L	1.25mmD Ruby Hex Tool, Long	\$40.00
			HRT1.25-XL	1.25mmD Ruby Hex Tool, X-Long	\$40.00
			HRT2.5-S	2.5mmD Manual Ruby Hex Tool, Short	\$40.00
			HRT2.5-L	2.5mmD Manual Ruby Hex Tool, Long	\$40.00
			HRT2.5-XL	2.5mmD Manual Ruby Hex Tool, X-Long	\$40.00

Hex Drills				Code	Description	Price
				HRD1.25-S	1.25mmD Latch Ruby Hex Drill, Short	\$40.00
				HRTD1.25-L	1.25mmD Latch Ruby Hex Drill, Long	\$40.00
				HRT1.25-XL	2.5mmD Latch Ruby Hex Drill, Short	\$40.00
				HRD2.5-S	2.5mmD Latch Ruby Hex Drill, Long	\$40.00

TOOLING
CONTINUED

Angle Measuring Guide		Code	Description	Price
		AMG	Angle Measuring Guide	\$25.00

Ancillary Instruments	Code	Description	Price
	TW-35	Variable Setting Torque Wrench, 35Ncm	\$220.00
	TW-100	Variable Setting Torque Wrench, 100Ncm	\$220.00
	TWSI	Torque Wrench Insert for 4mm x 4mm square components	\$40.00
	TWDI	Torque Wrench Insert for Drill Latch Connection	\$40.00
	TWHI	Torque Wrench Insert with 2.5mmD Hex	\$40.00
	REXT	Ratchet and Hand Wrench Extender	\$40.00
	SD1.8	1.8mmD Starter Drill with 7mmL stop	\$75.00
	LD2.0	2.0mmD Lindemann Drill	\$75.00
	PGP	Paralleling Guide Pin	\$15.00
	DE	Drill Extender, 16mL	\$75.00
	FFRT	Removal Tool for Friction-Fit Abutments	\$40.00
	TP40	Tissue Punch, 4.0mmD	\$75.00
	TP50	Tissue Punch, 5.0mmD	\$75.00



TOOLING CONTINUED

ASC Tools	Code	Description	Price
	ASCWD-S	ASC Wrench Driver, Short 24mmL	\$40.00
	ASCWD-L	ASC Wrench Driver, Long 29mmL	\$40.00
	ASCWD-XL	ASC Wrench Driver, X-Long 34mmL	\$40.00
	ASCMD-S	ASC Manual Driver, Short 20mmL	\$40.00
	ASCMD-L	ASC Manual Driver, Long 25mmL	\$40.00
	ASCMD-XL	ASC Manual Driver, X-Long 30mmL	\$40.00
	ASCLD-S	ASC Latch Driver, Short 27mmL	\$40.00
	ASCLD-L	ASC Latch Driver, Long 32mmL	\$40.00
	ASCLD-XL	ASC Latch Driver, X-Long 37mmL	\$40.00
MUA Tools	Code	Description	Price
	MAMD-S	MUA Manual Driver, Short 22mmL	\$40.00
	MAMD-L	MUA Manual Driver, Long 26mmL	\$40.00
	MAWD-S	MUA Wrench Driver, Short 22mmL	\$40.00
	MAWD-L	MUA Wrench Driver, Long 26mmL	\$40.00
	MAWD-XL	MUA Wrench Driver, X-Long 30mmL	\$40.00
	MALD-S	MUA Latch Driver, Short 20mmL	\$40.00
	MALD-L	MUA Latch Driver, Long 24mmL	\$40.00

FIXATION SCREWS

Universal Fixation Screws	Code	Description	Price
	UFSXS	Universal Fixation Screw, X-Short	\$20.00
	UFSS	Universal Fixation Screw, Short	\$20.00
	UFS	Universal Fixation Screw	\$20.00
	UFSL	Universal Fixation Screw Long	\$20.00
	UFSXL	Universal Fixation Screw X-Long	\$20.00
	XTFSXS	Ext. Universal Fixation Screw, X-Short	\$20.00
	XTFSS	Ext. Universal Fixation Screw, Short	\$20.00
	XTFS	Ext. Universal Fixation Screw	\$20.00
	XTFSL	Ext. Universal Fixation Screw, Long	\$20.00
	XTCFS	Ext. Carrier Fixation Screw	\$20.00
NizPlant Fixation Screws	Code	Description	Price
	NPFS	NizPlant Fixation Screw	\$20.00
	NPFSL	NizPlant Fixation Screw, Long	\$20.00
Digital Analog Fixation Screw	Code	Description	Price
	DAFS	Dig. Analog Fix. Screw	\$20.00
Multi-Unit Angled Abutment Fixation Screw	Code	Description	Price
	MAFSXS	MUA Ang. Fix. Screw, X-Short	\$20.00
	XTMAFSXS	Ext. MU Ang. Screw, X-Short	\$20.00

DRILL
STOPS


ASC Tools

Bone Level <= 3.8mmD



DSN-07 - DSN-14

+1mm Level <= 3.8mmD




DSN-06 - DSN-13

Bone Level => 4.4mmD



DSR-07 - DSR-14

+1mm Level => 4.4mmD



DSR-06 - DSR-13

Code

DSN-07

DSN-09

DSN-11

DSN-12

DSN-14

DSN-06L

DSN-08L

DSN-10L

DSN-11L

DSN-13L

DSR-07

DSR-09

DSR-11

DSR-12

DSR-14

DSR-06L

DSR-08L

DSR-10L

DSR-11L

DSR-13L

Description

Drill Stop Narrow- 2.3 -3.8mmD for 7mmL Imp.

Drill Stop Narrow- 2.3 -3.8mmD for 9mmL Imp.

Drill Stop Narrow- 2.3 -3.8mmD for 11mmL Imp.

Drill Stop Narrow- 2.3 -3.8mmD for 12.5mmL Imp.

Drill Stop Narrow- 2.3 -3.8mmD for 14mmL Imp.

Drill Stop Narrow- 2.3 -3.8mmD for 6mmL Imp.

Drill Stop Narrow- 2.3 -3.8mmD for 8mmL Imp.

Drill Stop Narrow- 2.3 -3.8mmD for 10mmL Imp.

Drill Stop Narrow- 2.3 -3.8mmD for 11.5mmL Imp.

Drill Stop Narrow- 2.3 -3.8mmD for 13mmL Imp.

Drill Stop Regular- 4.4-5.4mmD for 7mmL Imp.

Drill Stop Regular- 4.4-5.4mmD or 9mmL Imp.

Drill Stop Regular- 4.4-5.4mmD for 11mmL Imp.

Drill Stop Regular- 4.4-5.4mmD for 12.5mmL Imp.

Drill Stop Regular- 4.4-5.4mmD for 14mmL Imp.

Drill Stop Regular- 4.4-5.4mmD for 6mmL Imp.

Drill Stop Regular- 4.4-5.4mmD for 8mmL Imp.

Drill Stop Regular- 4.4-5.4mmD for 10mmL Imp.

Drill Stop Regular- 4.4-5.4mmD for 11.5mmL Imp.

Drill Stop Regular- 4.4-5.4mmD for 13mmL Imp.

Price

\$20.00

\$20.00

\$20.00

\$20.00

\$20.00

\$20.00

\$20.00

\$20.00

\$20.00

\$20.00

\$20.00

\$20.00

\$20.00

\$20.00

\$20.00

\$20.00


\$20.00

\$20.00

\$20.00

\$20.00


DRILL STOP
SEQUENCE AND PLACEMENT




1. Drill Stop Kit is seated in the Surgical Kit




2. The Bone-level drill stops: gold stops are narrow, and pink stops are wide




3. The 1mm supracrestal drill stops: green stops are narrow, and blue stops are regular (with black band on bottom)




4. Handpiece with drill is shown floating above the Drill Stop kit



5. Drill is inserted into the selected drill stop.



6. Handpiece lifted with the drill stop now attached to the drill.



Placing the drill stop on the drill



The Gold and Magenta Narrow Drill Stops create a socket depth equal to the overall length of the implant selected for placement 1mm supra-crestal



The Green and Blue Regular Drill Stops create a socket depth 1mm short of the overall length of the implant selected for placement 1mm Supra-crestal



- Placement bone level or supra-crestal
- Drill stops in two heights, inserted through sleeves in surgical guides
- Eliminates need for surgical guide keys or length specific drills



40+ YEARS OF INNOVATION

36 PATENTS - 3 SPECIFIC TO THE PARAGON™ SYSTEM



USE THIS QR CODE TO VIEW THE FULL 16 PAGE DOCUMENT WITH 30+ LINKS.

"THE SCIENTIFIC BASIS FOR PARAGON'S GEN5™ IMPLANT SYSTEM"

24/7 LIGHTS OUT MANUFACTURING

GERALD NIZNICK, DMD, MSD



Paragon-implant.com

Manufacturing

27030 Malibu Hills Road
Calabasas, CA 91301
818.475.4675

Distribution and Customer Service

8840 W. Russell Road Ste. 205
Las Vegas, NV 89148
702.726.7271